

ASUS PRIME H610M-K D4-CSM Intel H610 LGA 1700 micro ATX





Marca : ASUS

Código del producto: 90MB1A10-M0EAYC

Nombre del producto : PRIME H610M-K D4-CSM

ASUS PRIME H610M-K D4-CSM. Fabricante de procesador: Intel, Socket de procesador: LGA 1700, Procesador compatible: Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel.... tipos de memoria compatibles: DDR4-SDRAM, Tipo de ranuras de memoria: DIMM, Canales de memoria: Doble canal. Interfaces de disco de almacenamiento soportados: M.2, SATA III. Tipo de interfaz ethernet: Gigabit Ethernet. Componente para: PC, Factor de forma: micro ATX, Familia del chipset: Intel

Procesador	
Fabricante de procesador *	Intel
Socket de procesador *	LGA 1700
Procesador compatible *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel® Pentium® Gold
Memoria	
tipos de memoria compatibles *	DDR4-SDRAM
Número de ranuras de memoria *	2
Tipo de ranuras de memoria	DIMM
Canales de memoria	Doble canal
Velocidad del reloj de memoria máxima admitida	3200 MHz
Reguladores del almacenaje	
Interfaces de disco de almacenamiento soportados *	M.2, SATA III
Interno I/O	
USB 2.0, conectores *	1
Número de conectores SATA III *	4
Panel trasero Puertos de I/O (entrada/salida)	
Cantidad de puertos USB 2.0 *	4

Panel trasero Puertos de I/O (entrada/salida)	
Ethernet LAN (RJ-45) cantidad de puertos *	1
Puerto de ratón PS/2	1
Cantidad de puertos VGA (D-Sub) *	1
Número de puertos HDMI *	1
Salidas para auriculares	1
Micrófono, jack de entrada	✔
Conexión	
Ethernet	✔
Tipo de interfaz ethernet	Gigabit Ethernet
Características	
Chipset *	Intel H610
Color del producto	Multicolor
Componente para *	PC
Factor de forma *	micro ATX
Familia del chipset *	Intel
Ranuras de expansión	
PCI Express x1 (Gen 3.x) ranuras	1
Ranuras PCI Express x16 (Gen 4.x)	1
Número de ranuras M.2 (M)	1

Panel trasero Puertos de I/O (entrada/salida)	
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1) *	2

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 13-JUN-2026. Prints or copies of Information are only valid on the printed Publication date