ProductSheet
HP P204v 19.5-inch Monitor (5RD66AA)

Business-class affordability in a mainstream screen size

Get essential presentation features and device connectivity with the stylishly redesigned and surprisingly cost-conscious HP P204v 19.5-inch Monitor.



Crisp image clarity for all your content
Easily navigate your documents and spreadsheets on this sleek display that complements your modern workspace and has a 19.5-inch diagonal screen with 1600 x 900 resolution.

Display and device connectivity
Quickly connect to your devices and additional displays through the HDMI connector. Get legacy device compatibility from the VGA connector.

Create an efficient workspace
Attach your HP Desktop Mini, HP Chromebox or select HP Thin Client directly behind the display. [1] Keep things tidy with an integrated power supply and cable management features.

Featuring

Find your sweet spot
Filter blue light emission and shift colors to a warmer spectrum for more comfortable viewing with HP Low Blue Light mode. Adjust tilt for your best view.

Place it where you need it
Free up valuable desk space with mounting options enabled by the 100-mm VESA pattern. [2]

Complete the picture
Customize a total solution with options designed for your display, like the HP S100 Speaker Bar, which attaches easily to the lower bezel to add stereo audio without the desktop clutter. [3]

Responsibly made
Energy efficiency and environmental sustainability are built into every ENERGY STAR® and TCO certified, EPEAT® 2019 registered, and low halogen display. [4,5]

Divide and conquer
Manage your display and make it work for you. HP Display Assistant allows you to quickly resize screen partitions so you can work in separate regions of the screen and helps deter theft by dimming a display that's disconnected without approval.

Specifications

Display Size (diagonal)	19.5"
Panel Technology	TN with LED backlight
Display Size (diagonal, metric)	49.6 cm (19.5")
Aspect Ratio	16:9[1]
Native Resolution	HD+ (1600 x 900) *(VGA or DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution.)*
Resolutions Supported	1024 x 768; 1280 x 1024; 1280 x 800; 1366 x 768; 1440 x 900; 1600 x 900; 640 x 480; 720 x 400; 800 x 600
Pixel Pitch	0.27 mm
Brightness (typical)	200 nits[1]
Display Contrast Ratio (Static)	600:1[1]
Response Time (Typical)	5ms GtG (with overdrive)[1]
Product Dimensions (metric)	46.26 x 4.87 x 27.87 cm *(Without stand.)*
Product Dimensions (imperial)	18.21 x 1.92 x 10.97 in *(Without stand.)*
Product Dimensions (with stand metric)	46.26 x 19 x 35.36 cm
Weight (metric)	2.81 kg *(With stand.)*
Weight (imperial)	6.19 lb *(With stand.)*
Display Features	Tilt
Onscreen Controls	Brightness; Color control; Energy saving; Exit; Image control; Information; Management; Menu; PIP control; Input control
Display Colors	Up to 16.7 million colors supported (through FRC technology)
Display Scan Frequency (horizontal)	30-70 kHz
Display Scan Frequency (vertical)	50-60 Hz
Camera	No integrated camera
Power Supply Required	100 - 240 VAC 50/60 Hz
Power Consumption Description	16 W (maximum), 15 W (typical), 0.3 W (standby)
Operating Temperature Range (celsius)	5 to 35°C
Operating Humidity Range	20 to 80% non-condensing
Sustainability Specifications	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified
Certifications and Compliances	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CECP; CEL; cTUVus; EAC; ErP; FCC; HSMI; ICES; KC; KCC; Mexico CoC; MSIP; PSB; RCM; VCCI; Vietnam MEPS; WEEE; ISC; South Africa Energy; ISO 9001; TUS-GS; eStandby; EC1062; CEL Grade 2[5]
Physical Security	Standard lock slot[3]
Management Software	HP Display Assistant
UPC Number	(A2K) 193424383269; (A2N) 196188081532; (AB0) 193424383245; (AB1) 193424383283; (AB2) 193424383313; (AB4) 193424383252; (ABB) 196188081549; (ABG) 193424383306; (ABJ) 4580511548193; (ABM) 193424383238; (ABT) 196188081556; (ABU) 196188081563; (ABV) 196188081570; (ABY) 196188081587; (AC8) 194721999337; (ACJ) 193424383290; (ACQ) 196188081594; (AH3) 196188081600; (AKL) 193424383337; (AR6) 193424383276; (UUF) 193424383320; (UUZ) 196188081617
What Is In The Box	HDMI cable; Documentation; VGA cable; AC power cord[4]

Top Recommended Displays, Accessories and Services

No Top Recommended Displays, Accessories and Services

Messaging Footnotes

[1] HP Desktop Mini, HP Chromebox, and HP Thin Client sold separately.

[2] Mounting hardware sold separately.

[3] Each accessory sold separately. Mounting hardware sold separately.

[4] Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

[5] External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Technical Specifications Footnotes

[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

[3] Lock is sold separately.

[4] Monitors produced until April 11th 2022 are delivered with VGA cable. Monitors produced from April 11th 2022 are delivered with HDMI cable.

[5] Monitors produced from June 2024 comply with China regulation GB 21520-2023.

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.